

BLANK PAGE



Indian Standard METHOD FOR BEAM UNNOTCHED IMPACT TEST FOR GREY CAST IRON (First Revision)

UDC 669·131·6:620·178·742



© Copyright 1985

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard METHOD FOR REAM UNNOTCHED IMPACT TEST FOR GREY CAST IRON

(First Revision)

Methods of Physical Tests Sectional Committee. SMDC 3

Chairman

Representing

SHRI P. K. CHAKRAVARTY

The Tata Iron & Steel Co Ltd, Jamshedpur

Members

Bharat Steel Tubes Ltd, Ganaur

SHRI R. K. ABROL SHRI S. BONDE (Alternate)

M. N. Dastur & Co (P) Ltd, Calcutta

SHRI SUJIT KUMAR BASU SHRI S. SEN GUPTA (Alternate)

Quality Marking Centre, Amritsar

SHRI K. K. BHATIA SHRI R. N. BISWAS

Steel Authority of India Ltd (Durgapur Steel

Plant), Durgapur

SHRI T. S. TEWARI (Alternate) Úsha Martin Industries Ltd, Calcutta

Dr A. CHAKRABORTY SHRI H. MAHESWARY (Alternate)

Indian Aluminium Co Ltd. Calcutta

SHRI K. K. CHERIAN SHRI PANKAJ DE (Alternate)

Indian Telephone Industries Ltd, Bangalore

DR R. P. DAMBAL IN SHRI V. V. PRABHU (Alternate) SHRI M. K. DAS GUPTA N

SHRI K. G. GARG

National Physical Laboratory (CSIR), New Delhi Directorate General of Technical Development & Production (Air), New Delhi

SHRI P. RAGHOTHAMA RAO (Alternate)

SHRI B. G. GEHANI Shri G. S. Sobti (Alternate)

Blue Star Limited, Bombay

SHRI A. GHOSH National Test House, Calcutta

SHRI D. S. MAJUMDAR (Alternate) SHRI S. A. HAQUE

The Tata Iron & Steel Co Ltd, Jamshedpur

SHRI A. S. WALIA (Alternate)

SHRI N. C. HORE Ministry of Railways

SHRI S. R. DE (Alternate)

(Continued on page 2)

© Copyright 1985

INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Members

Representing

SHRI S. V. KULKARNI Fuel Instruments & Engineers Pvt Ltd, Ichalkaranji SHRI J. V. KULKARNI (Alternate)

SHRI S. KUMAR Mining & Allied Machinery Corporation Ltd, Durgapur

SHRI K. S. LAKSHMINARAYAN Avery India Ltd, Calcutta

SHRI R. D. SHARMA (Alternate)

SHRI C. B. LUNAWAT The Indian Tube Co Ltd. Jamshedpur SHRI R, RAMA RAO (Alternate)

SHRI S. R. MAZUMDAR Ministry of Defence (DGI)

SHRI A. K. CHAKROBORTY (Alternate)

SHRI V. N. NANDA Associated Instrument Manufacturers' (India) Pvt Ltd, New Delhi

SHRI S. C. JAIN (Alternate)

SHRI R. A. PADMANABHAN Central Mechanical Engineering Research Institute (CSIR), Durgapur

SHRI M. PRASAD Steel Authority of India Ltd (Rourkela Steel Plant), Rourkela

SHRI N. GOPALAKRISHNA (Alternate)

SHRI S. RADHAKRISHNAN National Aeronautical Laboratory (CSIR), Bangalore

DR V. SRINIVASAN (Alternate)

National Metallurgical DR V. RAO Laboratory (CSIR). Jamshedpur

DR D. J. CHAKRAVARTI (Alternate)

SHRI R. N. SAHA Directorate General of Supplies & Disposals, New Delhi

SHRI S. K. PANDEY (Alternate)

SHRI D. N. SARKAR Ministry of Defence, Ordnance Factories Board, Calcutta

SHRI A. R. BASU (Alternate)

SHRI F. C. SHARMA Directorate General of Civil Aviation, New Delhi SHRI K. SWAMIAPPAN Ministry of Defence (R&D)

Indian Register of Shipping, Bombay

SHRI H. K. TANEJA SHRI S. KUMAR (Alternate)

SHRI YADHVIR SINGH Steel Authority of India Ltd (Bokaro Steel Plant). Bokaro

SHRI P. N. TRIPATHY (Alternate)

SHRI K. RAGHAVENDRAN, Director General, ISI (Ex-officio Member) Director (Struc & Met)

Secretary

SHRI JAGMOHAN SINGH Deputy Director (Metals), ISI

Indian Standard METHOD FOR BEAM UNNOTCHED IMPACT TEST FOR GREY CAST IRON

(First Revision)

0. FOREWORD

- 0.1 This Indian Standard (First Revision) was adopted by the Indian Standards Institution on 28 February 1985, after the draft finalized by the Methods of Physical Tests Sectional Committee had been approved by the Structural and Metals Division Council.
- 0.2 This standard was first published in 1969 to evaluate the shock resistance of certain types of cast iron. While reviewing this standard, the Sectional Committee decided to revise this standard incorporating SI units.
- 0.3 This standard is based on ISO 946-1975 'grey cast iron beam unnotched impact test', issued by International Organization for Standardization.
- 0.4 In reporting the result of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS: 2-1960*.

1. SCOPE

- 1.1 This standard prescribes the method of conducting beam unnotched impact test on grey cast iron containing graphite in flake form.
- 1.2 It does not apply to austenitic and malleable cast iron.

2. PRINCIPLE OF TEST

2.1 The test consists in breaking by single blow from a swinging hammer under prescribed conditions, an unnotched machined cylindrical test piece

^{*}Rules for rounding off numerical values (revised).

resting freely between supports. The energy absorbed is determined by taking the difference between the kinetic energy of the hammer immediately before fracture and its residual energy after the fracture of the test piece.

3. TERMINOLOGY

- 3.0 For the purpose of this standard, the following definitions shall apply.
- 3.1 The impact strength of the grey cast iron is the apparent energy absorbed in fracture denoted by the symbol KG, and is expressed in joules (see also Appendix A).
- 3.2 Impact Modules The ratio \underline{KG} where KG is the apparent energy of

rupture expressed in joules, and V, volume of test piece between supports expressed in cubic centimetres.

4. SYMBOLS USED

4.1 The following symbols have been used in this standard:

Symbol	Description
1	Length of test piece
d	Diameter of test piece
\boldsymbol{A}	Initial potential energy of the testing machine
L	Distance between supports
r	Radius of curvature of supports
· «	Angle at tip of hammer
R	Radius of curvature of hammer
V	Speed of hammer at instance of striking
KG	Apparent energy absorbed in fracture

5. METHOD OF CASTING TEST BAR

- 5.1 The test bar shall be cast separately and shall be poured at the same time and from same ladle of metal, as the casting it represents.
- 5.2 The test bar shall be cast in dry sand and its structure shall be entirely grey.
- 5.3 Each test bar shall be spaced apart from its neighbour, any other casting in same mould by a minimum distance of 50 mm.

- 5.4 The test bar shall not be removed from the mould if its temperature is above 500°C.
- 5.5 If the castings represented are heat treated, the test bar shall be heat treated at the same time and under the same conditions as the castings.

6. DIMENSIONS OF CAST TEST BAR

6.1 The test bar shall be cast as a cylindrical bar having a diameter of 30^{+2}_{0} mm and a minimum length of 150 mm.

7. TEST PIECE

7.1 The test piece shall be well machined with a good finish and shall have the dimensions given in Table 1.

TABLE 1 DIMENSIONS OF TEST PIECE			
Symbol	DIMENSION	Nominal Value	Tolerance
		mm	mm
1	Length of the test piece	120	± 2
d	Diameter of the test piece	20	±0·2


- 7.2 If any test piece shows defective machining or obvious lack of continuity in the metal, it shall be discarded and replaced by another test piece.
- 7.3 If it is found necessary to carry out the impact test on test piece not of the standard size specified in 7.1 it may be useful to calculate the 'impact modulus'. Appendix A gives details of calculating the impact modulus.

8. TESTING MACHINE

- 8.1 The testing machine shall be constructed and installed steady and rigid.
- 8.2 The testing machine shall comply with the following requirements (see also Fig. 1):

Characteristic	Requirement
Initial potential energy of the testing machine A	50±2 J
Distance between supports L	$100 \pm 0.5 \text{ mm}$
Radius of curvature of supports r	1 to 1.5 mm
Taper of supports	1:5
Angle of tip of hammer «	30°±1°
Radius of curvature of hammer R	2 to 2.5 mm
Speed of the hammer at the instant of striking	3.60 to 4.20 m/sec

- **8.3** In case the test is conducted on test pieces other than what is given in Table 1, it should be ensured that the machine where such tests are conducted should be capable of making appropriate adjustments of the supports.
- 8.4 The plane of swing of the hammer shall be vertical. The machine shall be constructed so that the loss of energy (such as from translation, rotation or vibration) in the machine framework during a test is negligible.
- 8.5 The height of the centre of percussion above the point of impact of the hammer shall be 3+3 mm.
- 8.6 The accuracy of the graduation of the scale of the machine shall be ± 0.5 percent of the maximum striking energy of the machine.



Ref Symbol	Nominal Dimension	Machining Tolerance
1	120 mm	$\pm 2~\mathrm{mm}$
d	20 mm	±0.2 mm
L	100 mm	+0.5 mm -0 mm
r	1 to 1·5 mm	_
«C	30°	±1°
R	2 to 2.5 mm	_

Fig. 1 Beam Impact Test (Unnotched)

9. TEST REQUIREMENTS

9.1 The test piece should lie squarely against the supports with the plane of symmetry of the hammer midway between them.

9.2 The test shall be carried at ambient temperature.

10. METHOD OF TESTING AND REPORTING OF TEST RESULTS

- 10.1 At least four test pieces shall be fractured for each test.
- 10.2 After breaking four test pieces under the conditions prescribed under 9.1 and 9.2 the arithmetic mean \bar{X} of the values obtained and the range of test results (R) that is difference between the maximum and the minimum values of test results shall be calculated.
 - 10.2.1 If R is not more than $0.4 \bar{X}$, the impact value shall be expressed as:

$$KG = \bar{X}$$

- 10.2.2 If R is greater that $0.4 \bar{X}$, the test shall be repeated with a fifth test piece kept in reserve. The arithmetic mean \bar{X}_1 of the values obtained and range, R_1 shall be calculated.
- 10.2.3 If R_1 is not more than 0.5 \bar{X}_1 , the impact strength shall be expressed as:

$$KG = \overline{X}_1$$

- 10.2.4 If R_1 is greater than $0.5 \bar{X}_1$, the test shall not be considered significant enough to give an acceptable value of KG.
- 10.3 The test shall be discarded if obvious flaws on the surface or on the broken face of certain test pieces have made it extremely difficult to obtain the required number of values.

APPENDIX A

(Clause 7.3)

CALCULATION OF IMPACT MODULUS FOR NON-STANDARD TEST PIECES

A-1. The impact modulus is the ratio KG/V where KG is the apparent energy absorbed in fracture expressed in joules and V, volume of test piece between supports expressed in cubic centimetres.

- A-2. Within acceptable practical limits and for the same grade of cast iron, impact modulus is independent of the diameter of the machined test pieces if the following conditions are observed:
 - a) The test pieces are of proportional dimensions l=6d,
 - b) The distance between supports is proportional to the dimensions of the test piece L=5d,
 - c) The value of KG/A remains above 0.4,
 - d) The diameter d is between 12 and 29 mm, and
 - e) All the other conditions of test and particularly the velocity of impact ν and the diameter of the original bar or the mass of the test piece remain unchanged.
- A-3. The impact modulus of the standard test piece (d=20 mm) is calculated according to the following formula:

Impact modulus, (joules/cm³) = $\frac{1}{10\pi}$ × apparent energy absorbed in fracture (in joules).



INDIAN STANDARDS INSTITUTION

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Ma	arg, NEW DELHI 110002
Telephones: 3310131, 3311375	Telegrams: Manaksanstha
	(Common to all offices)

Regional Offices:	Telephones
*Western: Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093	6 32 92 95
†Eastern: 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054	36 24 99
Southern : C. I. T. Campus, MADRAS 600113	41 24 42
Northern: B69 Phase VII, Industrial Focal Point, S. A. S. NAGAR 160051 (Punjab)	8 73 28
Branch Offices:	
'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	{2 63 48 {2 63 49
'F' Block, Unity Bldg, Narasimharaja Square, BANGALORE 560002	22 48 05
Gangotri Complex, Bhadbhada Road, T. T. Nagar, BHOPAL 462003	6 27/16
22E Kalpana Area, BHUBANESHWAR 751014	5 36 27
5-8-56C L. N. Gupta Marg, HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	4 72 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bldg (2nd Floor), Railway Station Road, TRIVANDRUM 695001	32 27
Inspection Office (With Sale Point):	
Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 411005	5 24 35
*Sales Office in Bombay is at Novelty Chambers, Grant Road,	89 65 28
†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, Calcutta 700072	27 68 00
	A TOWN THE PARTY OF THE PARTY O